

Post-it® Fax Note	7671	Date	12-10-96	# of pages	1
To	Rod Pearcey	From	Peggy Rice		
Co./Dept.	AKC	Co.	KC I.W.		
Phone #		Phone #			
Fax #	382-6590	Fax #			

**COPPER**  
rks

Telephone: (206) 623-5800

Telex: 32-0318

TWX: 910-444-2095

Facsimile:

Stainless Products Division

(206) 382-7346

Fabrication Division

(206) 382-4306

Ms. Peggy Rice  
Industrial Waste Investigator  
King County Industrial Waste  
130 Nickerson Street, Suite 200  
Seattle, WA 98109-1658

## Mailing Address:

Post Office Box 3546

Seattle, Washington 98124-3546

## Express Delivery Address:

Stainless Products Division

3200 Sixth Avenue South

Seattle, Washington 98134-2106

Fabrication Division

3405 Sixth Avenue South

Seattle, Washington 98134-2109

December 4, 1996

Dear Ms. Rice:

Confirming our conversation of 12-3-96 and 12-4-96 requesting permission to process waste water from our plasma burning tables through our existing treatment system.

We would inject this water into our daily process treatment flow over a time frame of 3-5 days (100-165 gallons per day). This time frame will allow us to remain below our maximum daily discharge volume limit. We would begin this process on 12-5-96.

If you have any questions please feel free to call me at 382-8394.

Sincerely,

*Rodney L. Pearcey*  
Rodney L. Pearcey  
Hazards Communication Coordinator

RECEIVED

DEC 06 1996

KING COUNTY  
INDUSTRIAL WASTE

This discharge as described,  
meets King County limits and is  
approved.

*Margaret Rice*

Signature

*I.W. Investigator*

Title

*12/10/96*

Date